

# **Golden Night**



Design Martina Heines



Necklace Golden Night – Tutorial \* Copyright Miroslava Felguth 2016

Project level:



### **Materials:**

- > 30 carrier beads, acryl, 17 x 9 mm, 2 hole
- > 1 g Miyuki Delica 11/0 (DB11), for each carrier bead
- > 41 glass beads 4 mm (GB4)
- > 31 glass beads 6 mm (GB6)
- > 2 jump rings, 6mm, closed
- > 2 jump rings, 6 mm, open
- > 2 crimp beads
- 2 crimp covers
- > 1 clasp

### Tools:

- > Fireline 0,15 mm smoke (0.006", 6LB/ size D), test
- beading needles size 10 (11)
- scissors or thread burner
- > 100 cm jewelry wire
- > wire cutters
- crimping pliers
- 2 flatnose pliers

### **Technique:**

#### Peyotestitch

The necklace is made out of 30 carrier beads. Colours and patterns are a matter of your own taste.

This tutorial is not identical to the necklace of Martina Heines, whose picture is on the cover.

### Length of thread

I always meassure my thread like this: I take one end of the thread in one hand and the other end in the other hand and spread my arms, so the length of the thread is one arm span.






## Step by step


### Peyote ring

- (1) First and second row: On a comfortable lenght of Fireline pick up 6 DB11. Leaving 10 cm tail, which will be woven into the piece later.
- (2) Third row: Pick up 1 DB11 and sew through the next DB11 in the opposite direction. Pick up another DB11 and sew through the next DB11. Continue like thi until the row is finished.

Work 50 rows with DB11 in peyote stitch.



(3) Zip up the 1st and the 50th row (see picture). Sew up the thread securely and cut it. Put aside the finished ring. Follow steps A-C to work 30 rings altogether. Slide the ring onto the carrier bead.




### Advice

If the ring is a bit too loose on the carrier bead, it is better to put some jewelry glue on the carrier bead before you slide the ring on it.


### Assembly of the elements

- (1) Cut the wire in the middle with the wire cutter. Leave about 5 cm at the beginning.
- (2) On the lower wire: pick up a carrier bead and a GB6 in turns, until you picked up all your carrier beads.
- (3) On the upper wire: prick through the upper hole of the carrier bead, pick up a GP4 and prick through the next carrier bead, pick up another GP4. Repeat these steps until you went through all of the carrier beads.



### <u>Clasp</u>

- (1) Pick up 3 GB4 on each wire.
- (2) Take both wires together and pick up a GB6 and a crimp bead.
- (3) Thread both wires through a closed jump ring and go back through the crimp bead and the GB6.
- (4) Crimp the crimp bead with the crimp pliers.
- (5) Using crimping pliers, close crimp covers over the crimp bead. Trim the excess wire.
- (6) Repeat steps 1 5 on the remaining end.
- (7) Attach one part of the clasp to each end of the necklace using the open jump rings.



### **Collection of patterns:**



